

Chemistry data booklet

First assessment 2016

Edited in 2014 (version 2)



International Baccalaureate®
Baccalauréat International
Bachillerato Internacional

**Diploma Programme
Chemistry data booklet**

Published June 2014

Published on behalf of the International Baccalaureate Organization, a not-for-profit educational foundation of 15 Route des Morillons, 1218 Le Grand-Saconnex, Geneva, Switzerland by the

International Baccalaureate Organization (UK) Ltd
Peterson House, Malthouse Avenue, Cardiff Gate
Cardiff, Wales CF23 8GL
United Kingdom
Website: www.ibo.org

© International Baccalaureate Organization 2014

The International Baccalaureate Organization (known as the IB) offers four high-quality and challenging educational programmes for a worldwide community of schools, aiming to create a better, more peaceful world. This publication is one of a range of materials produced to support these programmes.

The IB may use a variety of sources in its work and checks information to verify accuracy and authenticity, particularly when using community-based knowledge sources such as Wikipedia. The IB respects the principles of intellectual property and makes strenuous efforts to identify and obtain permission before publication from rights holders of all copyright material used. The IB is grateful for permissions received for material used in this publication and will be pleased to correct any errors or omissions at the earliest opportunity.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior written permission of the IB, or as expressly permitted by law or by the IB's own rules and policy. See <http://www.ibo.org/copyright>.

IB merchandise and publications can be purchased through the IB store at <http://store.ibo.org>.

Email: sales@ibo.org

Contents

| | |
|---|----|
| 1. Some relevant equations..... | 1 |
| 2. Physical constants and unit conversions..... | 2 |
| 3. The electromagnetic spectrum..... | 3 |
| 4. Fundamental particles | 3 |
| 5. Names of the elements..... | 4 |
| 6. The periodic table | 6 |
| 7. Melting points and boiling points of the elements (at 101.325 kPa) | 7 |
| 8. First ionization energy, electron affinity and electronegativity of the elements | 8 |
| 9. Atomic and ionic radii of the elements | 9 |
| 10. Covalent bond lengths..... | 10 |
| 11. Bond enthalpies and average bond enthalpies at 298 K..... | 11 |
| 12. Selected compounds—thermodynamic data | 12 |
| 13. Enthalpies of combustion | 13 |
| 14. Common oxidation numbers of the 3d ions..... | 14 |
| 15. Spectrochemical series | 14 |
| 16. Ligands..... | 15 |
| 17. Colour wheel..... | 15 |
| 18. Lattice enthalpies at 298 K (experimental values)..... | 16 |
| 19. Enthalpies of aqueous solutions | 17 |
| 20. Enthalpies of hydration | 18 |
| 21. Strengths of organic acids and bases | 19 |
| 22. Acid-base indicators..... | 21 |
| 23. Values of ionization constant | 22 |
| 24. Standard electrode potentials at 298 K | 23 |
| 25. Activity series..... | 24 |
| 26. Infrared data..... | 25 |
| 27. ^1H NMR data..... | 26 |
| 28. Mass spectral fragments lost..... | 27 |
| 29. Triangular bonding diagram | 28 |
| 30. Resin identification codes..... | 29 |

| | |
|--|----|
| 31. Representations of some materials molecules..... | 29 |
| 32. Solubility product constants at 298 K | 30 |
| 33. 2-amino acids..... | 31 |
| 34. Lipids, carbohydrates and nucleotide components..... | 33 |
| 35. Vitamins and pigments | 35 |
| 36. Binding energy curve..... | 37 |
| 37. Representations of some medicinal molecules | 38 |
| 38. References | 40 |

Notes

This booklet cannot be used for paper 1 of the examination (SLP1 and HLP1), but the periodic table given in section 6 will be available as part of these examination papers. Clean copies of this booklet must be made available to candidates for papers 2 and 3 (SLP2, HLP2, SLP3 and HLP3).

1. Some relevant equations

| Topic | Equation |
|-------------|---|
| 1.3 | $PV = nRT$ |
| 2.2 and C.4 | $c = \nu\lambda$ |
| 5.1 | $q = mc\Delta T$ |
| 8.3 | $pH = -\log_{10}[\text{H}_3\text{O}^+]$ or $pH = -\log_{10}[\text{H}^+]$ |
| 12.1 | $E = h\nu$ |
| 15.2 | $\Delta G^\circ = \Delta H^\circ - T\Delta S^\circ$ |
| 16.2 | $k = Ae^{\frac{-E_a}{RT}}$ |
| 16.2 | $\ln k = \frac{-E_a}{RT} + \ln A$ |
| 16.2 | $\ln \frac{k_1}{k_2} = \frac{E_a}{R} \left(\frac{1}{T_2} - \frac{1}{T_1} \right)$ |
| 17.1 | $\Delta G^\circ = -RT \ln K$ |
| 19.1 | $\Delta G^\circ = -nFE^\circ$ |
| A.5 | % atom economy = $\frac{\text{molar mass of desired product}}{\text{molar mass of all reactants}} \times 100$ |
| A.8 | $n\lambda = 2d\sin\theta$ |
| B.7 | $pH = pK_a + \log\left(\frac{[A^-]}{[HA]}\right)$ |
| B.7 | $\log_{10} \frac{I_0}{I} = \varepsilon lc$ |

| Topic | Equation |
|-------------|--|
| C.1 | Energy density = $\frac{\text{energy released from fuel}}{\text{volume of fuel consumed}}$ |
| C.1 | Specific energy = $\frac{\text{energy released from fuel}}{\text{mass of fuel consumed}}$ |
| C.3 | $N = N_0 e^{-\lambda t}$ |
| C.3 and D.8 | $t_{\frac{1}{2}} = \frac{\ln 2}{\lambda}$ |
| C.6 | $E = E^0 - \left(\frac{RT}{nF} \right) \ln Q$ |
| C.7 | $\frac{\text{Rate}_1}{\text{Rate}_2} = \sqrt{\frac{M_2}{M_1}}$ |
| D.8 | $N_t = N_0 (0.5)^{t/k}$ |

2. Physical constants and unit conversions

Avogadro's constant (L or N_A) = $6.02 \times 10^{23} \text{ mol}^{-1}$

Gas constant (R) = $8.31 \text{ J K}^{-1} \text{ mol}^{-1}$

Molar volume of an ideal gas at STP = $2.27 \times 10^{-2} \text{ m}^3 \text{ mol}^{-1} = 22.7 \text{ dm}^3 \text{ mol}^{-1}$

$1 \text{ dm}^3 = 1 \text{ litre} = 1 \times 10^{-3} \text{ m}^3 = 1 \times 10^3 \text{ cm}^3$

STP conditions = 273 K and 100 kPa

SATP conditions = 298 K and 100 kPa

Speed of light = $3.00 \times 10^8 \text{ ms}^{-1}$

Specific heat capacity of water = $4.18 \text{ kJ kg}^{-1} \text{ K}^{-1} = 4.18 \text{ J g}^{-1} \text{ K}^{-1}$


Planck's constant (h) = $6.63 \times 10^{-34} \text{ J s}$

Faraday's constant (F) = $9.65 \times 10^4 \text{ C mol}^{-1}$

Ionic product constant for water (K_w) = $1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ at 298 K

$1 \text{ amu} = 1.66 \times 10^{-27} \text{ kg}$

3. The electromagnetic spectrum



4. Fundamental particles

| | Proton | Neutron | Electron |
|-------------------|----------------------------|----------------------------|-----------------------------|
| Mass (kg) | 1.672622×10^{-27} | 1.674927×10^{-27} | 9.109383×10^{-31} |
| Charge (C) | 1.602189×10^{-19} | 0 | $-1.602189 \times 10^{-19}$ |

5. Names of the elements

| Element | Symbol | Atomic number |
|--------------|--------|---------------|
| actinium | Ac | 89 |
| aluminium | Al | 13 |
| americium | Am | 95 |
| antimony | Sb | 51 |
| argon | Ar | 18 |
| arsenic | As | 33 |
| astatine | At | 85 |
| barium | Ba | 56 |
| berkelium | Bk | 97 |
| beryllium | Be | 4 |
| bismuth | Bi | 83 |
| bohrium | Bh | 107 |
| boron | B | 5 |
| bromine | Br | 35 |
| cadmium | Cd | 48 |
| caesium | Cs | 55 |
| calcium | Ca | 20 |
| californium | Cf | 98 |
| carbon | C | 6 |
| cerium | Ce | 58 |
| chlorine | Cl | 17 |
| chromium | Cr | 24 |
| cobalt | Co | 27 |
| copernicium | Cn | 112 |
| copper | Cu | 29 |
| curium | Cm | 96 |
| darmstadtium | Ds | 110 |
| dubnium | Db | 105 |

| Element | Symbol | Atomic number |
|-------------|--------|---------------|
| dysprosium | Dy | 66 |
| einsteinium | Es | 99 |
| erbium | Er | 68 |
| europium | Eu | 63 |
| fermium | Fm | 100 |
| fluorine | F | 9 |
| francium | Fr | 87 |
| gadolinium | Gd | 64 |
| gallium | Ga | 31 |
| germanium | Ge | 32 |
| gold | Au | 79 |
| hafnium | Hf | 72 |
| hassium | Hs | 108 |
| helium | He | 2 |
| holmium | Ho | 67 |
| hydrogen | H | 1 |
| indium | In | 49 |
| iodine | I | 53 |
| iridium | Ir | 77 |
| iron | Fe | 26 |
| krypton | Kr | 36 |
| lanthanum | La | 57 |
| lawrencium | Lr | 103 |
| lead | Pb | 82 |
| lithium | Li | 3 |
| lutetium | Lu | 71 |
| magnesium | Mg | 12 |
| manganese | Mn | 25 |

| Element | Symbol | Atomic number |
|----------------|---------------|----------------------|
| meitnerium | Mt | 109 |
| mendelevium | Md | 101 |
| mercury | Hg | 80 |
| molybdenum | Mo | 42 |
| neodymium | Nd | 60 |
| neon | Ne | 10 |
| neptunium | Np | 93 |
| nickel | Ni | 28 |
| niobium | Nb | 41 |
| nitrogen | N | 7 |
| nobelium | No | 102 |
| osmium | Os | 76 |
| oxygen | O | 8 |
| palladium | Pd | 46 |
| phosphorus | P | 15 |
| platinum | Pt | 78 |
| plutonium | Pu | 94 |
| polonium | Po | 84 |
| potassium | K | 19 |
| praseodymium | Pr | 59 |
| promethium | Pm | 61 |
| protactinium | Pa | 91 |
| radium | Ra | 88 |
| radon | Rn | 86 |
| rhenium | Re | 75 |
| rhodium | Rh | 45 |
| roentgenium | Rg | 111 |
| rubidium | Rb | 37 |

| Element | Symbol | Atomic number |
|----------------|---------------|----------------------|
| ruthenium | Ru | 44 |
| rutherfordium | Rf | 104 |
| samarium | Sm | 62 |
| scandium | Sc | 21 |
| seaborgium | Sg | 106 |
| selenium | Se | 34 |
| silicon | Si | 14 |
| silver | Ag | 47 |
| sodium | Na | 11 |
| strontium | Sr | 38 |
| sulfur | S | 16 |
| tantalum | Ta | 73 |
| technetium | Tc | 43 |
| tellurium | Te | 52 |
| terbium | Tb | 65 |
| thallium | Tl | 81 |
| thorium | Th | 90 |
| thulium | Tm | 69 |
| tin | Sn | 50 |
| titanium | Ti | 22 |
| tungsten | W | 74 |
| uranium | U | 92 |
| vanadium | V | 23 |
| xenon | Xe | 54 |
| ytterbium | Yb | 70 |
| yttrium | Y | 39 |
| zinc | Zn | 30 |
| zirconium | Zr | 40 |

6. The periodic table

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
|---|---------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|---------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| 1 | 1 H 1.01 | | | | | | Atomic number Element | | | | | | | | | | 2 He 4.00 | |
| 2 | 3 Li 6.94 | 4 Be 9.01 | | | | | | | | | | | | | | | 10 Ne 20.18 | |
| 3 | 11 Na 22.99 | 12 Mg 24.31 | | | | | | | | | | | | | | | 18 Ar 39.95 | |
| 4 | 19 K 39.10 | 20 Ca 40.08 | 21 Sc 44.96 | 22 Ti 47.87 | 23 V 50.94 | 24 Cr 52.00 | 25 Mn 54.94 | 26 Fe 55.85 | 27 Co 58.93 | 28 Ni 58.69 | 29 Cu 63.55 | 30 Zn 65.38 | 31 Ga 69.72 | 32 Ge 72.63 | 33 As 74.92 | 34 Se 78.96 | 35 Br 79.90 | 36 Kr 83.90 |
| 5 | 37 Rb 85.47 | 38 Sr 87.62 | 39 Y 88.91 | 40 Zr 91.22 | 41 Nb 92.91 | 42 Mo 95.96 | 43 Tc (98) | 44 Ru 101.07 | 45 Rh 102.91 | 46 Pd 106.42 | 47 Ag 107.87 | 48 Cd 112.41 | 49 In 114.82 | 50 Sn 118.71 | 51 Sb 121.76 | 52 Te 127.60 | 53 I 126.90 | 54 Xe 131.29 |
| 6 | 55 Cs 132.91 | 56 Ba 137.33 | 57 † La 138.91 | 72 Hf 178.49 | 73 Ta 180.95 | 74 W 183.84 | 75 Re 186.21 | 76 Os 190.23 | 77 Ir 192.22 | 78 Pt 195.08 | 79 Au 196.97 | 80 Hg 200.59 | 81 Tl 204.38 | 82 Pb 207.20 | 83 Bi 208.98 | 84 Po (209) | 85 At (210) | 86 Rn (222) |
| 7 | 87 Fr (223) | 88 Ra (226) | 89 ‡ Ac (227) | 104 Rf (267) | 105 Db (268) | 106 Sg (269) | 107 Bh (270) | 108 Hs (269) | 109 Mt (278) | 110 Ds (281) | 111 Rg (281) | 112 Cn (285) | 113 Uut (286) | 114 Uuq (289) | 115 Uup (288) | 116 Uuh (293) | 117 Uus (294) | 118 Uuo (294) |
| † | | 58 Ce 140.12 | 59 Pr 140.91 | 60 Nd 144.24 | 61 Pm (145) | 62 Sm 150.36 | 63 Eu 151.96 | 64 Gd 157.25 | 65 Tb 158.93 | 66 Dy 162.50 | 67 Ho 164.93 | 68 Er 167.26 | 69 Tm 168.93 | 70 Yb 173.05 | 71 Lu 174.97 | | | |
| ‡ | | 90 Th 232.04 | 91 Pa 231.04 | 92 U 238.03 | 93 Np (237) | 94 Pu (244) | 95 Am (243) | 96 Cm (247) | 97 Bk (247) | 98 Cf (251) | 99 Es (252) | 100 Fm (257) | 101 Md (258) | 102 No (259) | 103 Lr (262) | | | |

7. Melting points and boiling points of the elements (at 101.325 kPa)

| | | | | | | | | | | | | Melting point (°C) Element | | | | | | | | | | | | | | |
|------------------------------|----------------------------|----------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|----------------------------|------------------------------|-------------------------------|----------------------------|-----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|--|--|--|--|--|--|--|---------------------|
| | | | | | | | | | | | | Boiling point (°C) | | | | | | | | | | | | | | |
| -259.2 H -252.9 | 180.5 Li 1342 | 1287 Be 2468 | | | | | | | | | | | 2077 B 4000 | 3500 C 4827 | -210.0 N -195.8 | -218.8 O -183.0 | -219.7 F -188.1 | -248.6 Ne -246.0 | | | | | | | | He -268.9 |
| 97.79 Na 882.9 | 650.0 Mg 1090 | | | | | | | | | | | | 660.3 Al 2519 | 1414 Si 3265 | 44.15 P 280.5 | 115.2 S 444.6 | -101.5 Cl -34.04 | -189.3 Ar -185.8 | | | | | | | | |
| 63.38 K 758.8 | 842.0 Ca 1484 | 1541 Sc 2836 | 1670 Ti 3287 | 1910 V 3407 | 1907 Cr 2671 | 1246 Mn 2061 | 1538 Fe 2861 | 1495 Co 2927 | 1455 Ni 2913 | 1085 Cu 2560 | 419.5 Zn 907.0 | 29.77 Ga 2229 | 938.2 Ge 2833 | 816.8 As 613.0 | 220.8 Se 684.8 | -7.050 Br 58.78 | -157.4 Kr -153.4 | | | | | | | | | |
| 39.30 Rb 687.8 | 768.8 Sr 1377 | 1522 Y 3345 | 1854 Zr 4406 | 2477 Nb 4741 | 2622 Mo 4639 | 2157 Tc 4262 | 2333 Ru 4147 | 1963 Rh 3695 | 1555 Pd 2963 | 961.8 Ag 2162 | 321.1 Cd 766.8 | 156.6 In 2027 | 231.9 Sn 2586 | 630.6 Sb 1587 | 449.5 Te 987.8 | 113.7 I 184.4 | -111.8 Xe -108.1 | | | | | | | | | |
| 28.44 Cs 670.8 | 725.0 Ba 1845 | 920.0 La 3464 | 2233 Hf 4600 | 3017 Ta 5455 | 3414 W 5555 | 3453 Re 5900 | 3033 Os 5008 | 2446 Ir 4428 | 1768 Pt 3825 | 1064 Au 2836 | -38.83 Hg 356.6 | 303.8 Tl 1473 | 327.5 Pb 1749 | 271.4 Bi 1564 | 253.8 Po 962.0 | 301.8 At 336.8 | -71.15 Rn -61.85 | | | | | | | | | |
| 27.00 Fr 676.8 | 699.8 Ra 1140 | 1050 Ac 3200 | | | | | | | | | | | | | | | | | | | | | | | | |

8. First ionization energy, electron affinity and electronegativity of the elements

| | | First ionization energy (kJ mol ⁻¹) Electron affinity (kJ mol ⁻¹) (2nd EA / kJ mol ⁻¹) | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|-----|---|-----|-----|-----|-----|-----|----|-----|-----|-----|----|-----|----|-----|----|-----|----|-----|------|----|----|----|----|----|----|------|----|
| | | Element | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Electronegativity | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1312 | -73 | H | 2.2 | | | | | | | | | | | | | | | | | 2372 | He | | | | | | | |
| 520 | -60 | Li | 1.0 | 900 | Be | 1.6 | | | | | | | | | | | | | | 2081 | Ne | | | | | | | |
| 496 | -53 | Na | 0.9 | 738 | Mg | 1.3 | | | | | | | | | | | | | | 1520 | Ar | | | | | | | |
| 419 | -48 | K | 0.8 | 590 | -2 | Sc | 1.4 | Ti | 1.5 | V | 1.6 | Cr | 1.7 | Mn | 1.6 | Fe | 1.8 | Co | 1.9 | Ga | Ge | As | Se | Br | Kr | | | |
| 403 | -47 | Rb | 0.8 | 549 | -5 | Sr | 1.0 | Y | 1.2 | Zr | 1.3 | Nb | 1.6 | Mo | 2.2 | Tc | 2.1 | Ru | 2.2 | Pd | Ag | Cd | In | Sn | Te | I | Xe | |
| 376 | -46 | Cs | 0.8 | 503 | -14 | Ba | 0.9 | La | 1.1 | Hf | 1.3 | Ta | 1.5 | W | 1.7 | Re | 1.9 | Os | 2.2 | Ir | Pt | Au | Hg | Tl | Pb | Bi | At | Rn |
| 393 | -47 | Fr | 0.7 | 509 | -10 | Ra | 0.9 | Ac | 1.1 | 499 | -34 | | | | | | | | | | | | | | | | 1037 | |



9. Atomic and ionic radii of the elements






| | | | | | | | | | | | | | | | | | | 37 He | | |
|------------------------------|------------------------------|------------------------------|--|--|--|--|--|--|--|---|--|--|---|---|------------------------------|------------------------------|------------------|------------------------|--|--|
| | | | | | | | | | | | | | | | | | | 62 Ne | | |
| 32 H | | | | | | | | | | | | | | | | | | | | |
| 130 Li 76 (1+) | 99 Be 45 (2+) | | | | | | | | | | | | | | | | | | | |
| 160 Na 102 (1+) | 140 Mg 72 (2+) | | | | | | | | | | | | | | | | | | | |
| 200 K 138 (1+) | 174 Ca 100 (2+) | 159 Sc 75 (3+) | 148 Ti 86 (2+) 61 (4+) | 144 V 79 (2+) 54 (5+) | 130 Cr 62 (3+) 44 (6+) | 129 Mn 83 (2+) 53 (4+) | 124 Fe 61 (2+) 55 (3+) | 118 Co 65 (+2) 55 (+3) | 117 Ni 69 (2+) | 122 Cu 77 (1+) 73 (2+) | 120 Zn 74 (2+) | 123 Ga 62 (3+) | 120 Ge 53 (4+) 272 (4-) | 120 As 58 (3+) 46 (5+) | 118 Se 198 (2-) | 117 Br 196 (1-) | 116 Kr | | | |
| 215 Rb 152 (1+) | 190 Sr 118 (2+) | 176 Y 90 (3+) | 164 Zr 72 (4+) | 156 Nb 72 (3+) 64 (5+) | 146 Mo 65 (4+) | 138 Tc 65 (4+) | 136 Ru 68 (3+) 62 (4+) | 134 Rh 67 (+3) 60 (+4) | 130 Pd 86 (2+) 62 (4+) | 136 Ag 115 (1+) | 140 Cd 95 (2+) | 142 In 80 (3+) | 140 Sn 118 (2+) 69 (4+) | 140 Sb 76 (3+) | 137 Te 221 (2-) | 136 I 220 (1-) | 136 Xe | | | |
| 238 Cs 167 (1+) | 206 Ba 135 (2+) | 194 La 103 (3+) | 164 Hf 71 (4+) | 158 Ta 64 (5+) | 150 W 66 (4+) 60 (6+) | 141 Re 63 (4+) 53 (7+) | 136 Os 63 (4+) 55 (6+) | 132 Ir 68 (+3) 63 (+4) | 130 Pt 80 (2+) 63 (4+) | 130 Au 137 (1+) 85 (3+) | 132 Hg 119 (1+) 102 (2+) | 144 Tl 150 (1+) 89 (3) | 145 Pb 119 (2+) 78 (4+) | 150 Bi 103 (3+) 76 (5+) | 142 Po 97 (4+) | 148 At | 146 Rn | | | |
| 242 Fr | 211 Ra | 201 Ac | | | | | | | | | | | | | | | | | | |

10. Covalent bond lengths

Single bonds ($10^{-12}\text{m} = \text{pm}$)

| | Br | C | Cl | F | H | I | N | O | P | S | Si |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Br | 228 | 194 | 214 | 176 | 141 | 247 | 214 | | 220 | 227 | 216 |
| C | 194 | 154 | 177 | 138 | 108 | 214 | 147 | 143 | 184 | 182 | 185 |
| Cl | 214 | 177 | 199 | 163 | 128 | 232 | 197 | 170 | 203 | 199 | 202 |
| F | 176 | 138 | 163 | 142 | 92 | 257 | 136 | 142 | 154 | 158 | 156 |
| H | 141 | 108 | 128 | 92 | 74 | 160 | 101 | 97 | 142 | 134 | 148 |
| I | 247 | 214 | 232 | 257 | 160 | 267 | | | 247 | | 243 |
| N | 214 | 147 | 197 | 136 | 101 | | 146 | 136 | | 175 | 174 |
| O | | 143 | 170 | 142 | 97 | | 136 | 148 | 154 | 161 | 163 |
| P | 220 | 184 | 203 | 154 | 142 | 247 | | 154 | 221 | 210 | |
| S | 227 | 182 | 199 | 158 | 134 | | 175 | 161 | 210 | 205 | 215 |
| Si | 216 | 185 | 202 | 156 | 148 | 243 | 174 | 163 | | 215 | 232 |

Multiple bonds ($10^{-12}\text{m} = \text{pm}$)





11. Bond enthalpies and average bond enthalpies at 298 K

Single bonds (kJ mol^{-1})

| | Br | C | Cl | F | H | I | N | O | P | S | Si |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Br | 193 | 285 | 219 | 249 | 366 | 178 | | 201 | 264 | 218 | 330 |
| C | 285 | 346 | 324 | 492 | 414 | 228 | 286 | 358 | 264 | 289 | 307 |
| Cl | 219 | 324 | 242 | 255 | 431 | 211 | 192 | 206 | 322 | 271 | 400 |
| F | 249 | 492 | 255 | 159 | 567 | 280 | 278 | 191 | 490 | 327 | 597 |
| H | 366 | 414 | 431 | 567 | 436 | 298 | 391 | 463 | 322 | 364 | 323 |
| I | 178 | 228 | 211 | 280 | 298 | 151 | | 201 | 184 | | 234 |
| N | | 286 | 192 | 278 | 391 | | 158 | 214 | | | |
| O | 201 | 358 | 206 | 191 | 463 | 201 | 214 | 144 | 363 | | 466 |
| P | 264 | 264 | 322 | 490 | 322 | 184 | | 363 | 198 | | |
| S | 218 | 289 | 271 | 327 | 364 | | | | | 266 | 293 |
| Si | 330 | 307 | 400 | 597 | 323 | 234 | | 466 | | 293 | 226 |

Multiple bonds (kJ mol^{-1})



12. Selected compounds—thermodynamic data

| Substance | Formula | State | ΔH_f° (kJ mol $^{-1}$) | ΔG_f° (kJ mol $^{-1}$) | S° (J K $^{-1}$ mol $^{-1}$) |
|-------------------------|---|-------|--------------------------------------|--------------------------------------|--------------------------------------|
| methane | CH ₄ | g | -74.0 | -50.0 | +186 |
| ethane | C ₂ H ₆ | g | -84.0 | -32.0 | +230 |
| propane | C ₃ H ₈ | g | -105 | -24.0 | +270 |
| butane | C ₄ H ₁₀ | g | -126 | -17.0 | +310 |
| pentane | C ₅ H ₁₂ | l | -173 | | |
| hexane | C ₆ H ₁₄ | l | -199 | | |
| ethene | C ₂ H ₄ | g | +52.0 | +68.0 | +220 |
| propene | C ₃ H ₆ | g | +20.0 | +62.0 | +267 |
| but-1-ene | C ₄ H ₈ | g | +0.10 | +71.0 | +306 |
| <i>cis</i> -but-2-ene | C ₄ H ₈ | g | -7.0 | +66.0 | +301 |
| <i>trans</i> -but-2-ene | C ₄ H ₈ | g | -11.0 | +63.0 | +297 |
| ethyne | C ₂ H ₂ | g | +228 | +211 | +201 |
| propyne | C ₃ H ₄ | g | +185 | +194 | +248 |
| buta-1,3-diene | C ₄ H ₆ | g | +110 | +151 | +279 |
| cyclohexane | C ₆ H ₁₂ | l | -156 | | |
| benzene | C ₆ H ₆ | l | +49.0 | +125 | +173 |
| methylbenzene | C ₆ H ₅ CH ₃ | l | +12.0 | | |
| ethylbenzene | C ₆ H ₅ CH ₂ CH ₃ | l | -12.0 | | |
| phenylethene | C ₆ H ₅ CHCH ₂ | l | +104 | | |
| chloromethane | CH ₃ Cl | g | -82.0 | -58.0 | +235 |
| dichloromethane | CH ₂ Cl ₂ | l | -124 | | +178 |
| trichloromethane | CHCl ₃ | l | -134 | -74.0 | +202 |
| bromomethane | CH ₃ Br | g | -36.0 | -26.0 | +246 |
| iodomethane | CH ₃ I | l | -14.0 | | +163 |
| chloroethane | C ₂ H ₅ Cl | g | -137 | -53.0 | |
| bromoethane | C ₂ H ₅ Br | l | -90.0 | -26.0 | +199 |
| chlorobenzene | C ₆ H ₅ Cl | l | +11.0 | | |
| methanol | CH ₃ OH | l | -239 | -167 | +127 |
| ethanol | C ₂ H ₅ OH | l | -278 | -175 | +161 |
| phenol | C ₆ H ₅ OH | s | -165 | | +144 |
| methanal | HCHO | g | -109 | -102 | +219 |
| ethanal | CH ₃ CHO | g | -166 | -133 | +264 |
| propanone | (CH ₃) ₂ CO | l | -248 | | +200 |
| methanoic acid | HCOOH | l | -425 | -361 | +129 |
| ethanoic acid | CH ₃ COOH | l | -484 | -390 | +160 |
| benzoic acid | C ₆ H ₅ COOH | s | -385 | | +168 |
| methylamine | CH ₃ NH ₂ | g | -23 | +32.0 | +243 |
| water | H ₂ O | l | -285.8 | -237.1 | +70.0 |
| steam | H ₂ O | g | -241.8 | -228.6 | +188.8 |
| carbon monoxide | CO | g | -110.5 | -137.2 | +197.7 |
| carbon dioxide | CO ₂ | g | -393.5 | -394.4 | +213.8 |
| hydrogen bromide | HBr | g | -36.3 | -53.4 | +198.7 |
| hydrogen chloride | HCl | g | -92.3 | -95.3 | +186.9 |
| hydrogen fluoride | HF | g | -273.3 | -275.4 | +173.8 |
| hydrogen iodide | HI | g | +26.5 | +1.7 | +206.6 |

13. Enthalpies of combustion

The values of the molar enthalpy of combustion(ΔH_c^\ominus) in the following table refer to a temperature of 298 K and a pressure of 1.00×10^5 Pa .

| Substance | Formula | State | ΔH_c^\ominus (kJ mol ⁻¹) |
|-------------------|---|-------|--|
| hydrogen | H ₂ | g | -286 |
| sulfur | S | s | -297 |
| carbon (graphite) | C | s | -394 |
| carbon monoxide | CO | g | -283 |
| methane | CH ₄ | g | -891 |
| ethane | C ₂ H ₆ | g | -1561 |
| propane | C ₃ H ₈ | g | -2219 |
| butane | C ₄ H ₁₀ | g | -2878 |
| pentane | C ₅ H ₁₂ | l | -3509 |
| hexane | C ₆ H ₁₄ | l | -4163 |
| octane | C ₈ H ₁₈ | l | -5470 |
| cyclohexane | C ₆ H ₁₂ | l | -3920 |
| ethene | C ₂ H ₄ | g | -1411 |
| buta-1,3-diene | C ₄ H ₆ | g | -2541 |
| ethyne | C ₂ H ₂ | g | -1301 |
| benzene | C ₆ H ₆ | l | -3268 |
| methylbenzene | C ₆ H ₅ CH ₃ | l | -3910 |
| naphthalene | C ₁₀ H ₈ | s | -5156 |
| chloroethane | C ₂ H ₅ Cl | g | -1413 |
| iodoethane | C ₂ H ₅ I | l | -1463 |
| trichloromethane | CHCl ₃ | l | -473 |
| methanol | CH ₃ OH | l | -726 |
| ethanol | C ₂ H ₅ OH | l | -1367 |


| Substance | Formula | State | ΔH_c^\ominus (kJ mol ⁻¹) |
|------------------|--|-------|--|
| propan-1-ol | C ₃ H ₇ OH | l | -2021 |
| butan-1-ol | C ₄ H ₉ OH | l | -2676 |
| cyclohexanol | C ₆ H ₁₁ OH | s | -3728 |
| phenol | C ₆ H ₅ OH | s | -3053 |
| ethoxyethane | (C ₂ H ₅) ₂ O | l | -2724 |
| methanal | HCHO | g | -571 |
| ethanal | CH ₃ CHO | g | -1167 |
| benzaldehyde | C ₆ H ₅ CHO | l | -3525 |
| propanone | (CH ₃) ₂ CO | l | -1790 |
| pentan-3-one | (C ₂ H ₅) ₂ CO | l | -3100 |
| phenylethanone | CH ₃ COC ₆ H ₅ | l | -4149 |
| methanoic acid | HCOOH | l | -255 |
| ethanoic acid | CH ₃ COOH | l | -874 |
| benzoic acid | C ₆ H ₅ COOH | s | -3228 |
| ethanedioic acid | (COOH) ₂ | s | -243 |
| ethyl ethanoate | CH ₃ COOC ₂ H ₅ | l | -2238 |
| ethanamide | CH ₃ CONH ₂ | s | -1186 |
| methylamine | CH ₃ NH ₂ | g | -1086 |
| phenylamine | C ₆ H ₅ NH ₂ | l | -3393 |
| nitrobenzene | C ₆ H ₅ NO ₂ | l | -3088 |
| urea | CO(NH ₂) ₂ | s | -633 |
| glucose | C ₆ H ₁₂ O ₆ | s | -2803 |
| sucrose | C ₁₂ H ₂₂ O ₁₁ | s | -5640 |

14. Common oxidation numbers of the 3d ions


| Sc | Ti | V | Cr | Mn | Fe | Co | Ni | Cu | Zn |
|----|----|----|----|----|----|----|----|----|----|
| | | | | | | | | +1 | |
| | +2 | +2 | +2 | +2 | +2 | +2 | +2 | +2 | +2 |
| +3 | +3 | +3 | +3 | +3 | +3 | +3 | | | |
| | +4 | +4 | | +4 | | | | | |
| | | +5 | | | | | | | |
| | | | +6 | +6 | | | | | |
| | | | | +7 | | | | | |

15. Spectrochemical series


Ligands can be arranged in a spectrochemical series according to the energy difference they produce between the two sets of d-orbitals in an octahedral complex.




16. Ligands



1,2-ethanediamine




ethanedioate



EDTA

17. Colour wheel



18. Lattice enthalpies at 298 K (experimental values)

The lattice enthalpy values ($\Delta H_{\text{lattice}}^{\ominus}$) given relate to the endothermic process $M_aX_b(s) \rightarrow aM^{b+}(g) + bX^{a-}(g)$ in which the gaseous ions of a crystal are separated to an infinite distance from each other.

Experimental values

The data in these tables are experimental values obtained by means of a suitable Born–Haber cycle.

| Alkali metal halides | $\Delta H_{\text{lattice}}^{\ominus} (\text{kJ mol}^{-1})$ | | | |
|----------------------|--|-----|-----|-----|
| | F | Cl | Br | I |
| Li | 1049 | 864 | 820 | 764 |
| Na | 930 | 790 | 754 | 705 |
| K | 829 | 720 | 691 | 650 |
| Rb | 795 | 695 | 668 | 632 |
| Cs | 759 | 670 | 647 | 613 |

| Other substances | $\Delta H_{\text{lattice}}^{\ominus} (\text{kJ mol}^{-1})$ | Other substances | $\Delta H_{\text{lattice}}^{\ominus} (\text{kJ mol}^{-1})$ |
|-------------------|--|-------------------|--|
| CaF ₂ | 2651 | SrO | 3223 |
| BeCl ₂ | 3033 | BaO | 3054 |
| MgCl ₂ | 2540 | CuCl ₂ | 2824 |
| CaCl ₂ | 2271 | AgF | 974 |
| SrCl ₂ | 2170 | AgCl | 918 |
| BaCl ₂ | 2069 | AgBr | 905 |
| MgO | 3791 | AgI | 892 |
| CaO | 3401 | | |

19. Enthalpies of aqueous solutions

| Solute | $\Delta H_{\text{sol}}^{\circ}$ (kJ mol ⁻¹) | Solute | $\Delta H_{\text{sol}}^{\circ}$ (kJ mol ⁻¹) |
|---------------------------------|---|--------|---|
| NH ₄ Cl | +14.78 | KCl | +17.22 |
| NH ₄ NO ₃ | +25.69 | KBr | +19.87 |
| LiF | +4.73 | KI | +20.33 |
| LiCl | -37.03 | RbF | -26.11 |
| LiBr | -48.83 | RbCl | +17.28 |
| LiI | -63.30 | RbBr | +21.88 |
| NaF | +0.91 | RbI | +25.10 |
| NaCl | +3.88 | CsF | -36.86 |
| NaBr | -0.60 | CsCl | +17.78 |
| NaI | -7.53 | CsBr | +25.98 |
| KF | -17.73 | CsI | +33.35 |

20. Enthalpies of hydration

| Cations | $\Delta H_{\text{hyd}}^{\circ} \text{ (kJ mol}^{-1}\text{)}$ | Anions | $\Delta H_{\text{hyd}}^{\circ} \text{ (kJ mol}^{-1}\text{)}$ |
|------------------|--|--------------------|--|
| Li^+ | -538 | F^- | -504 |
| Na^+ | -424 | Cl^- | -359 |
| K^+ | -340 | Br^- | -328 |
| Rb^+ | -315 | I^- | -287 |
| Cs^+ | -291 | ClO_3^- | -331 |
| Be^{2+} | -2524 | BrO_3^- | -358 |
| Mg^{2+} | -1963 | IO_3^- | -446 |
| Ca^{2+} | -1616 | ClO_4^- | -205 |
| Sr^{2+} | -1483 | OH^- | -519 |
| Ba^{2+} | -1346 | CN^- | -341 |
| Ra^{2+} | -1335 | NO_3^- | -316 |
| Al^{3+} | -4741 | HCO_3^- | -383 |
| Ga^{3+} | -4745 | CO_3^{2-} | -1486 |
| In^{3+} | -4171 | HSO_4^- | -362 |
| Tl^{3+} | -4163 | SO_4^{2-} | -1099 |
| Tl^+ | -346 | PO_4^{3-} | -2921 |
| Sn^{2+} | -1587 | | |
| Pb^{2+} | -1523 | | |

21. Strengths of organic acids and bases

The acid strengths in the following tables are given in terms of pK_a values, where $pK_a = -\log_{10} K_a$.

The dissociation constant K_a values are for aqueous solutions at 298 K. Base strengths are given in terms of pK_b values.

Carboxylic acids

| Name | Formula | pK_a |
|-----------------------|--|--------|
| methanoic | HCOOH | 3.75 |
| ethanoic | CH ₃ COOH | 4.76 |
| propanoic | CH ₃ CH ₂ COOH | 4.87 |
| butanoic | CH ₃ (CH ₂) ₂ COOH | 4.83 |
| 2-methylpropanoic | (CH ₃) ₂ CHCOOH | 4.84 |
| pentanoic | CH ₃ (CH ₂) ₃ COOH | 4.83 |
| 2,2-dimethylpropanoic | (CH ₃) ₃ CCOOH | 5.03 |
| benzoic | C ₆ H ₅ COOH | 4.20 |
| phenylethanoic | C ₆ H ₅ CH ₂ COOH | 4.31 |

Halogenated carboxylic acids

| Name | Formula | pK_a |
|-------------------|------------------------|--------|
| chloroethanoic | CH ₂ ClCOOH | 2.87 |
| dichloroethanoic | CHCl ₂ COOH | 1.35 |
| trichloroethanoic | CCl ₃ COOH | 0.66 |
| fluoroethanoic | CH ₂ FCOOH | 2.59 |
| bromoethanoic | CH ₂ BrCOOH | 2.90 |
| iodoethanoic | CH ₂ I COOH | 3.18 |

Phenols

| Name | Formula | pK _a |
|----------------------|--|-----------------|
| phenol | C ₆ H ₅ OH | 9.99 |
| 2-nitrophenol | O ₂ NC ₆ H ₄ OH | 7.23 |
| 3-nitrophenol | O ₂ NC ₆ H ₄ OH | 8.36 |
| 4-nitrophenol | O ₂ NC ₆ H ₄ OH | 7.15 |
| 2,4-dinitrophenol | (O ₂ N) ₂ C ₆ H ₃ OH | 4.07 |
| 2,4,6-trinitrophenol | (O ₂ N) ₃ C ₆ H ₂ OH | 0.42 |

Alcohols

| Name | Formula | pK _a |
|----------|----------------------------------|-----------------|
| methanol | CH ₃ OH | 15.5 |
| ethanol | C ₂ H ₅ OH | 15.5 |

Amines

| Name | Formula | pK _b |
|----------------|--|-----------------|
| ammonia | NH ₃ | 4.75 |
| methylamine | CH ₃ NH ₂ | 3.34 |
| ethylamine | CH ₃ CH ₂ NH ₂ | 3.35 |
| dimethylamine | (CH ₃) ₂ NH | 3.27 |
| trimethylamine | (CH ₃) ₃ N | 4.20 |
| diethylamine | (C ₂ H ₅) ₂ NH | 3.16 |
| triethylamine | (C ₂ H ₅) ₃ N | 3.25 |
| phenylamine | C ₆ H ₅ NH ₂ | 9.13 |

22. Acid-base indicators

| Indicator | pK_a | pH range | Colour change | |
|-------------------|--------|----------|---------------|--------|
| | | | Acid | Alkali |
| methyl orange | 3.7 | 3.1–4.4 | red | yellow |
| bromophenol blue | 4.2 | 3.0–4.6 | yellow | blue |
| bromocresol green | 4.7 | 3.8–5.4 | yellow | blue |
| methyl red | 5.1 | 4.4–6.2 | red | yellow |
| bromothymol blue | 7.0 | 6.0–7.6 | yellow | blue |
| phenol red | 7.9 | 6.8–8.4 | yellow | red |
| phenolphthalein | 9.6 | 8.3–10.0 | colourless | pink |

23. Values of the ionization constant of water

| Temperature (°C) | K_w value |
|------------------|-------------------------|
| 0 | 0.113×10^{-14} |
| 5 | 0.185×10^{-14} |
| 10 | 0.292×10^{-14} |
| 15 | 0.453×10^{-14} |
| 20 | 0.684×10^{-14} |
| 25 | 1.00×10^{-14} |
| 30 | 1.47×10^{-14} |
| 35 | 2.09×10^{-14} |
| 40 | 2.92×10^{-14} |
| 45 | 4.02×10^{-14} |
| 50 | 5.43×10^{-14} |
| 55 | 7.24×10^{-14} |
| 60 | 9.55×10^{-14} |
| 65 | 12.4×10^{-14} |
| 70 | 15.9×10^{-14} |
| 75 | 20.1×10^{-14} |
| 80 | 25.2×10^{-14} |
| 85 | 31.3×10^{-14} |
| 90 | 38.3×10^{-14} |
| 95 | 46.6×10^{-14} |
| 100 | 56.0×10^{-14} |

24. Standard electrode potentials at 298 K

| Oxidized species | \rightleftharpoons | Reduced species | E^\ominus (V) | Oxidized species | \rightleftharpoons | Reduced species | E^\ominus (V) |
|---|----------------------|--|-----------------|---|----------------------|---|-----------------|
| $\text{Li}^+(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{Li}(\text{s})$ | -3.04 | $\text{Cu}^{2+}(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{Cu}^+(\text{aq})$ | +0.15 |
| $\text{K}^+(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{K}(\text{s})$ | -2.93 | $\text{SO}_4^{2-}(\text{aq}) + 4\text{H}^+(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{H}_2\text{SO}_3(\text{aq}) + \text{H}_2\text{O}(\text{l})$ | +0.17 |
| $\text{Ca}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Ca}(\text{s})$ | -2.87 | $\text{Cu}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Cu}(\text{s})$ | +0.34 |
| $\text{Na}^+(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{Na}(\text{s})$ | -2.71 | $\frac{1}{2}\text{O}_2(\text{g}) + \text{H}_2\text{O}(\text{l}) + 2\text{e}^-$ | \rightleftharpoons | $2\text{OH}^-(\text{aq})$ | +0.40 |
| $\text{Mg}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Mg}(\text{s})$ | -2.37 | $\text{Cu}^+(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{Cu}(\text{s})$ | +0.52 |
| $\text{Al}^{3+}(\text{aq}) + 3\text{e}^-$ | \rightleftharpoons | $\text{Al}(\text{s})$ | -1.66 | $\frac{1}{2}\text{I}_2(\text{s}) + \text{e}^-$ | \rightleftharpoons | $\text{I}^-(\text{aq})$ | +0.54 |
| $\text{Mn}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Mn}(\text{s})$ | -1.18 | $\text{Fe}^{3+}(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{Fe}^{2+}(\text{aq})$ | +0.77 |
| $\text{H}_2\text{O}(\text{l}) + \text{e}^-$ | \rightleftharpoons | $\frac{1}{2}\text{H}_2(\text{g}) + \text{OH}^-(\text{aq})$ | -0.83 | $\text{Ag}^+(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\text{Ag}(\text{s})$ | +0.80 |
| $\text{Zn}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Zn}(\text{s})$ | -0.76 | $\frac{1}{2}\text{Br}_2(\text{l}) + \text{e}^-$ | \rightleftharpoons | $\text{Br}^-(\text{aq})$ | +1.09 |
| $\text{Fe}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Fe}(\text{s})$ | -0.45 | $\frac{1}{2}\text{O}_2(\text{g}) + 2\text{H}_2(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{H}_2\text{O}(\text{l})$ | +1.23 |
| $\text{Ni}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Ni}(\text{s})$ | -0.26 | $\text{Cr}_2\text{O}_7^{2-}(\text{aq}) + 14\text{H}^+(\text{aq}) + 6\text{e}^-$ | \rightleftharpoons | $2\text{Cr}^{3+}(\text{aq}) + 7\text{H}_2\text{O}(\text{l})$ | +1.36 |
| $\text{Sn}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Sn}(\text{s})$ | -0.14 | $\frac{1}{2}\text{Cl}_2(\text{g}) + \text{e}^-$ | \rightleftharpoons | $\text{Cl}^-(\text{aq})$ | +1.36 |
| $\text{Pb}^{2+}(\text{aq}) + 2\text{e}^-$ | \rightleftharpoons | $\text{Pb}(\text{s})$ | -0.13 | $\text{MnO}_4^-(\text{aq}) + 8\text{H}^+(\text{aq}) + 5\text{e}^-$ | \rightleftharpoons | $\text{Mn}^{2+} + 4\text{H}_2\text{O}(\text{l})$ | +1.51 |
| $\text{H}^+(\text{aq}) + \text{e}^-$ | \rightleftharpoons | $\frac{1}{2}\text{H}_2(\text{g})$ | 0.00 | $\frac{1}{2}\text{F}_2(\text{g}) + \text{e}^-$ | \rightleftharpoons | $\text{F}^-(\text{aq})$ | +2.87 |

25. Activity series

| Increasing activity |
|---------------------|
| Li |
| Cs |
| Rb |
| K |
| Ba |
| Sr |
| Ca |
| Na |
| Mg |
| Be |
| Al |
| C |
| Zn |
| Cr |
| Fe |
| Cd |
| Co |
| Ni |
| Sn |
| Pb |
| H |
| Sb |
| As |
| Bi |
| Cu |
| Ag |
| Pd |
| Hg |
| Pt |
| Au |

26. Infrared data

Characteristic ranges for infrared absorption due to stretching vibrations in organic molecules.






| Bond | Organic molecules | Wavenumber (cm^{-1}) | Intensity |
|------|---|---------------------------------|-----------------------------|
| C–I | iodoalkanes | 490–620 | strong |
| C–Br | bromoalkanes | 500–600 | strong |
| C–Cl | chloroalkanes | 600–800 | strong |
| C–F | fluoroalkanes | 1000–1400 | strong |
| C–O | alcohols, esters, ethers | 1050–1410 | strong |
| C=C | alkenes | 1620–1680 | medium-weak; multiple bands |
| C=O | aldehydes, ketones, carboxylic acids and esters | 1700–1750 | strong |
| C≡C | alkynes | 2100–2260 | variable |
| O–H | hydrogen bonding in carboxylic acids | 2500–3000 | strong, very broad |
| C–H | alkanes, alkenes, arenes | 2850–3090 | strong |
| O–H | hydrogen bonding in alcohols and phenols | 3200–3600 | strong, broad |
| N–H | primary amines | 3300–3500 | medium, two bands |


27. ^1H NMR data

Typical proton chemical shift values (δ) relative to tetramethylsilane (TMS) = 0 .

R represents an alkyl group, and Hal represents F, Cl, Br, or I.

These values may vary in different solvents and conditions.


| Type of proton | Chemical shift (ppm) |
|---|----------------------|
| $-\text{CH}_3$ | 0.9–1.0 |
| $-\text{CH}_2-\text{R}$ | 1.3–1.4 |
| $-\text{R}_2\text{CH}$ | 1.5 |
|  | 2.0–2.5 |
|  | 2.2–2.7 |
|  | 2.5–3.5 |
| $-\text{C}\equiv\text{C}-\text{H}$ | 1.8–3.1 |
| $-\text{CH}_2-\text{Hal}$ | 3.5–4.4 |
| $\text{R}-\text{O}-\text{CH}_2-$ | 3.3–3.7 |
|  | 3.7–4.8 |
|  | 9.0–13.0 |
| $\text{R}-\text{O}-\text{H}$ | 1.0–6.0 |
| $-\text{HC}=\text{CH}_2$ | 4.5–6.0 |

| Type of proton | Chemical shift (ppm) |
|---|----------------------|
|  | 4.0–12.0 |
|  | 6.9–9.0 |
|  | 9.4–10.0 |

28. Mass spectral fragments lost

| Mass lost | Fragment lost |
|-----------|--|
| 15 | CH ₃ |
| 17 | OH |
| 18 | H ₂ O |
| 28 | CH ₂ =CH ₂ , C=O |
| 29 | CH ₃ CH ₂ , CHO |
| 31 | CH ₃ O |
| 45 | COOH |


29. Triangular bonding diagram



30. Resin identification codes

| Resin Identification Code (RIC) | Plastic types | Resin Identification Code (RIC) | Plastic types |
|--|----------------------------|---|---------------|
|  PETE | Polyethylene terephthalate |  PP | Polypropylene |
|  HDPE | High-density polyethylene |  PS | Polystyrene |
|  PVC | Polyvinyl chloride |  OTHER | Other |
|  LDPE | Low-density polyethylene | | |


31. Representations of some materials molecules




polychlorinated biphenyls




1,4-dioxin



polychlorinated dibenzofuran



2,3,7,8-tetrachlorodibenzodioxin





polychlorinated dibenzo-*p*-dioxin

32. Solubility product constants at 298 K

| Compound | K_{sp} |
|--|------------------------|
| BaCO_3 | 2.58×10^{-9} |
| $\text{Ba}(\text{OH})_2 \cdot 8\text{H}_2\text{O}$ | 2.55×10^{-4} |
| BaSO_4 | 1.08×10^{-10} |
| CdCO_3 | 1.0×10^{-12} |
| $\text{Cd}(\text{OH})_2$ | 7.2×10^{-15} |
| PbCO_3 | 7.40×10^{-14} |
| $\text{Pb}(\text{OH})_2$ | 1.43×10^{-20} |
| PbSO_4 | 2.53×10^{-8} |
| Hg_2CO_3 | 3.6×10^{-17} |
| Hg_2SO_4 | 6.5×10^{-7} |
| NiCO_3 | 1.42×10^{-7} |
| $\text{Ni}(\text{OH})_2$ | 5.48×10^{-16} |
| Ag_2CO_3 | 8.46×10^{-12} |
| Ag_2SO_4 | 1.20×10^{-5} |
| ZnCO_3 | 1.46×10^{-10} |
| $\text{Zn}(\text{OH})_2$ | 3.0×10^{-17} |

33. 2-amino acids


| Common name | Symbol | Structural formula | pH of isoelectric point |
|---------------|--------|---|-------------------------|
| alanine | Ala | $\text{H}_2\text{N}-\underset{\text{CH}_3}{\text{CH}}-\text{COOH}$ | 6.0 |
| arginine | Arg | $\text{H}_2\text{N}-\underset{\text{CH}_2-\text{CH}_2-\text{CH}_2}{\text{CH}}-\text{NH}-\underset{\text{NH}}{\text{C}}-\text{NH}_2$ | 10.8 |
| asparagine | Asn | $\text{H}_2\text{N}-\underset{\text{CH}_2-\text{C}-\text{NH}_2}{\text{CH}}-\text{COOH}$ | 5.4 |
| aspartic acid | Asp | $\text{H}_2\text{N}-\underset{\text{CH}_2-\text{COOH}}{\text{CH}}-\text{COOH}$ | 2.8 |
| cysteine | Cys | $\text{H}_2\text{N}-\underset{\text{CH}_2-\text{SH}}{\text{CH}}-\text{COOH}$ | 5.1 |
| glutamic acid | Glu | $\text{H}_2\text{N}-\underset{\text{CH}_2-\text{CH}_2-\text{COOH}}{\text{CH}}-\text{COOH}$ | 3.2 |
| glutamine | Gln | $\text{H}_2\text{N}-\underset{\text{CH}_2-\text{CH}_2-\text{C}-\text{NH}_2}{\text{CH}}-\text{COOH}$ | 5.7 |
| glycine | Gly | $\text{H}_2\text{N}-\text{CH}_2-\text{COOH}$ | 6.0 |
| histidine | His | $\text{H}_2\text{N}-\underset{\text{CH}_2}{\text{CH}}-\text{COOH}$  | 7.6 |
| isoleucine | Ile | $\text{H}_2\text{N}-\underset{\text{H}_3\text{C}-\text{CH}}{\text{CH}}-\text{CH}_2-\text{CH}_3$ | 6.0 |
| leucine | Leu | $\text{H}_2\text{N}-\underset{\text{H}_3\text{C}-\text{CH}}{\text{CH}}-\text{CH}_2-\text{CH}_3$ | 6.0 |

| Common name | Symbol | Structural formula | pH of isoelectric point |
|---------------|--------|---|-------------------------|
| lysine | Lys | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{CH}_2-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{NH}_2 \end{array}$ | 9.7 |
| methionine | Met | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{CH}_2-\text{CH}_2-\text{S}-\text{CH}_3 \end{array}$ | 5.7 |
| phenylalanine | Phe | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{CH}_2 \\ \\ \text{C}_6\text{H}_5 \end{array}$ | 5.5 |
| proline | Pro |  | 6.3 |
| serine | Ser | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{CH}_2-\text{OH} \end{array}$ | 5.7 |
| threonine | Thr | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{H}_3\text{C}-\text{CH}-\text{OH} \end{array}$ | 5.6 |
| tryptophan | Trp | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{CH}_2 \\ \\ \text{C}_5\text{H}_4\text{N} \end{array}$ | 5.9 |
| tyrosine | Tyr | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{CH}_2 \\ \\ \text{C}_6\text{H}_4-\text{OH} \end{array}$ | 5.7 |
| valine | Val | $\begin{array}{c} \text{H}_2\text{N}-\text{CH}-\text{COOH} \\ \\ \text{H}_3\text{C}-\text{CH}-\text{CH}_3 \end{array}$ | 6.0 |

34. Lipids, carbohydrates and nucleotide components


Lipids

| | |
|--------------------------|---|
| Octanoic acid | $\text{CH}_3(\text{CH}_2)_6\text{COOH}$ |
| Lauric acid | $\text{CH}_3(\text{CH}_2)_{10}\text{COOH}$ |
| Palmitic acid | $\text{CH}_3(\text{CH}_2)_{14}\text{COOH}$ |
| Stearic acid | $\text{CH}_3(\text{CH}_2)_{16}\text{COOH}$ |
| Oleic acid | $\text{CH}_3(\text{CH}_2)_7\text{CH}=\text{CH}(\text{CH}_2)_7\text{COOH}$ |
| Linoleic acid | $\text{CH}_3(\text{CH}_2)_4(\text{CH}=\text{CHCH}_2)_2(\text{CH}_2)_6\text{COOH}$ |
| α -Linolenic acid | $\text{CH}_3\text{CH}_2(\text{CH}=\text{CHCH}_2)_3(\text{CH}_2)_6\text{COOH}$ |




cholesterol


Carbohydrates




straight chain glucose




α -glucose




straight chain fructose



fructose




ribose




deoxyribose


Nitrogenous bases




adenine




guanine



cytosine




uracil




thymine

35. Vitamins and pigments


Vitamins



retinol (vitamin A)











ascorbic acid (vitamin C)




vitamin D (D3)

Pigments







36. Binding energy curve




37. Representations of some medicinal molecules




aspirin




penicillin (general structure)




ibuprofen




paracetamol (acetaminophen)




morphine




codeine




diamorphine (heroin)




omeprazole




ranitidine



oseltamivir



zanamivir



taxol

38. References

Data in sections 9, 10, 11, 12, 13, 22, 26 and 27 was taken fully or in part from:

Aylward, G and Findlay, T. 2008. *SI chemical data*. (5th edition). Queensland, Australia. John Wiley & Sons.

Data in section 20 reproduced by permission of The Royal Society of Chemistry.

Barret, J. 2003. *Inorganic chemistry in aqueous solution*. London, UK. Royal Society of Chemistry.

Data in section 13 was taken in part from:

Burgess, DR. 2012. "Thermochemical Data". *NIST Chemistry WebBook, NIST Standard Reference Database*. Number 69. <http://webbook.nist.gov>.

Data in sections 7, 8, 9, 12, 13, 18, 19, 21, 23, 24, 28, 32, 33 was taken fully or in part from:

Haynes, WM, (ed). 2012. *CRC Handbook of chemistry and physics*. (93rd edition). Boca Raton, US. CRC Press.

Data in section 29 can be found in the following source:

Leach, MR. 2013. *Timeline of structural theory*. 04 January 2013.
http://www.meta-synthesis.com/webbook/30_timeline/timeline.html.